LIFE CARE CTR OF BOUNTIFUL 460 WEST 2600 SOUTH BOUNTIFUL UT 84010

STATE'S REGION CODE: 001

PROVIDER #: 465112 FACILITY BEDS
PHONE NUMBER: (801) 295-3135
PARTICIPATION DATE: 05/04/1987 CERTIFIED: 120

TYPE ACTION: RECERTIFICATION TOTAL: 120

TYPE OWNERSHIP: FOR PROFIT - PARTNERSHIP

COMPLIANCE STATUS: FACILITY MEETS REQUIREMENTS BASED ON AN ACCEPTABLE PLAN OF CORRECTION

RESIDENT CENSU							/SUSPENSION D.				AL CERTIF		
TOTAL: 104 MEDICARE: 20 MEDICAID: 58 OTHER: 26				ADMISSION SUSPENDED: SUSPENSION RESCINDED:					18	18/19 120			
CURRENT SURVEY	REVISIT	DAT	ES - 05/16	/2002									
	PRIOR 2 SURVEY L0/1999	COD	PRIOR 1 E SURVEY 12/2000	- , -	SURVEY	CODE	PLAN/DATE OF CORRECT			PROGRAM REQU	IREMENTS		
	X	E	Х	D	X C X C X C	C E E	05/08/2002 05/08/2002 05/08/2002 05/08/2002	REQ REQ REQ REQ	F0157-INFORM OF ACCIDENTS/SIG CHANGES/TRANSFER F0167-SURVEY RESULTS READILY ACCESSIBLE TO RES F0253-HOUSEKEEPING & MAINTENANCE SERVICES F0279-DEVELOP COMPREHENSIVE CARE PLANS F0281-SERVICES PROVIDED MEET PROFESSIONAL STAN F0286-MAINTAIN ASSESSMENTS COMPLETED IN LAST 1			ESSIBLE TO RESIDENTS SERVICES PLANS FESSIONAL STANDARDS	
			X X	D E	ХС	E	05/08/2002	REQ REQ	F0309	9-PROVIDE NEC 2-ADL CARE PR	ESS CARE OVIDED FO	FOR HIOR DEPER	GHEST PRAC WELL BEING NDENT RESIDENTS NT FLUID INTAKE
	Х	Е	х	E	X C X C X C X C X C	E E E E D	05/08/2002 05/08/2002 05/08/2002 05/08/2002 05/08/2002 05/08/2002	REQ REQ REQ REQ REQ	F0369 F0371 F0441 F0445	F0328-PROPER TREATMENT/CARE FOR SPECIAL CARE NEEDS F0369-PROVIDES SPECIAL EATING EQUIPMENT/UTENSILS F0371-STORE/PREPARE/DISTRIB FOOD UNDER SANITARY CON F0441-FACILITY ESTABLISHES INFECTION CONTROL PROG F0445-HANDLE LINENS TO PREVENT SPREAD OF INFECTION F0460-ROOMS DESIGNED TO ASSURE FULL VISUAL PRIVACY F0496-NURSE AIDE REGISTRY VERIF/MULTISTATE REG VERI			JIPMENT/UTENSILS UNDER SANITARY CONDS FION CONTROL PROG PREAD OF INFECTION JLL VISUAL PRIVACY
				LAN/DATE CORRECTION		LS	C DEF	ICIENC:	IES - BLDG NO	. 01			
X X X	X X X		х с		5/08/2002	K0044-HORIZONTAL EXIT 02 K0047-EXIT SIGNS K0050-FIRE DRILLS K0054-SMOKE DETECTOR MAINTENANCE							
х			х с	0.5	5/08/2002	K0075-Wi /08/2002 K0076-Mi			OOKING EQUIPMENT ASTEBASKETS EDICAL GAS SYSTEM ENETRATIONS OF SMOKE BARRIERS				
х х	Х		х с	0.5	5/08/2002		K0104-PENETRATIONS OF SMORE BARRIERS K0130-OTHER						
TYPE OF DEFICIENCY				St	JRRENT JRVEY		PRIOR 1 SURVEY	St	RIOR 2 JRVEY	PRIOR 3 SURVEY			
CONDITION REQUIREMENT HEALTH TOTAL LIFE SAFETY CODE LIFE SAFETY CODE + HEALTH				0 11 11 3 14		0 4 4 3 7		0 2 2 2 2 4	0 0 0 5 5				

COMPLAINT SURVEY INFORMATION

SURVEY DATE	STATUS
11/28/2001	UNSUBSTANTIATED
01/31/2002	UNSUBSTANTIATED
03/23/2002	UNSUBSTANTIATED
08/22/2002	UNSUBSTANTIATED

FMS SURVEY INFORMATION

SURVEY DATE	TYPE OF SURVEY
03/22/2002	OBSERVATIONAL

C=DATE OF CORRECTION N=NO DATE GIVEN P=PLAN OF CORRECTION R=REFUSED TO CORRECT W=WAIVED F=FSES X=DEFICIENT * = REGIONAL OFFICE FLAG (INCLUDES COPS) ELE = ELEMENT STD = STANDARD COP = CONDITION